



## Sensory Enrichment Therapy Professional Certification Program

### Bibliography

#### Brain Map Part 1

1. 8 Triggers That Make Restless Legs Worse. [accessed 2016 Nov 3].  
<http://www.everydayhealth.com/sleep/triggers-that-make-restless-legs-worse.aspx>
2. Ackerley R, Carlsson I, Wester H, Olausson H, Backlund Wasling H. Touch perceptions across skin sites: differences between sensitivity, direction discrimination and pleasantness. 2014;8:54.
3. Aronoff E, Hillyer R, Leon M. Environmental Enrichment Therapy for Autism: Outcomes with Increased Access. 2016;2016:2734915.
4. Ashwin E, Ashwin C, Rhydderch D, Howells J, Baron-Cohen S. Eagle-eyed visual acuity: an experimental investigation of enhanced perception in autism. 2009;65(1):17–21.
5. Benson BE, Willis MW, Ketter TA, Speer A, Kimbrell TA, Herscovitch P, George MS, Post RM. Differential abnormalities of functional connectivity of the amygdala and hippocampus in unipolar and bipolar affective disorders. 2014;168:243–253.
6. Benson BE, Willis MW, Ketter TA, Speer A, Kimbrell TA, Herscovitch P, George MS, Post RM. Differential abnormalities of functional connectivity of the amygdala and hippocampus in unipolar and bipolar affective disorders. 2014;168:243–253.
7. Casanova MF, El-Baz A, Mott M, Mannheim G, Hassan H, Fahmi R, Giedd J, Rumsey JM, Switala AE, Farag A. Reduced gyral window and corpus callosum size in autism: possible macroscopic correlates of a minicolumnopathy. 2009;39(5):751–764.
8. Chechlacz M, Gleeson JG. Is mental retardation a defect of synapse structure and function? 2003;29(1):11–17.
9. Dillon C, Goda Y. The actin cytoskeleton: integrating form and function at the synapse. 2005;28:25–55.

10. Edgington L, Hill V, Pellicano E. The design and implementation of a CBT-based intervention for sensory processing difficulties in adolescents on the autism spectrum. 2016;59:221–233.
11. Fourgeaud L, Través PG, Tufail Y, Leal-Bailey H, Lew ED, Burrola PG, Callaway P, Zagórska A, Rothlin CV, Nimmerjahn A, et al. TAM receptors regulate multiple features of microglial physiology. 2016;532(7598):240–244.
12. Frontal Lobe Size | CARTA. [accessed 2016 Nov 21].  
<https://carta.anthropogeny.org/moca/topics/frontal-lobe-size>
13. Grandin T. My Experiences with Visual Thinking Sensory Problems and Communication Difficulties. 1996. 40 p.
14. Grewe O, Kopiez R, Altenmüller E. Chills as an indicator of individual emotional peaks. 2009;1169:351–354.
15. Güçlü B, Burak G, Canan T, Mukaddes NM, Fatih Ü. Tactile sensitivity of normal and autistic children. 2007;24(1-2):21–33.
16. Guha T, Yang Z, Ramakrishna A, Grossman RB, Darren H, Lee S, Narayanan SS. On Quantifying Facial Expression-Related Atypicality of Children with Autism Spectrum Disorder. 2015;2015:803–807.
17. Hurd R. How Does Serotonin Affect Sleep? [accessed 2016 Nov 3].  
<http://www.livestrong.com/article/136959-how-does-serotonin-affect-sleep/>
18. Ishizu T, Zeki S. The brain's specialized systems for aesthetic and perceptual judgment. 2013;37(9):1413–1420.
19. Kaiser MD, Yang DY-J, Voos AC, Bennett RH, Gordon I, Pretzsch C, Beam D, Keifer C, Eilbott J, McGlone F, et al. Brain Mechanisms for Processing Affective (and Nonaffective) Touch Are Atypical in Autism. 2016;26(6):2705–2714.
20. Khalfa S, Bruneau N, Rogé B, Georgieff N, Veuillet E, Adrien J-L, Barthélémy C, Collet L. Increased perception of loudness in autism. 2004;198(1-2):87–92.
21. Llorens-Bobadilla E, Zhao S, Baser A, Saiz-Castro G, Zwadlo K, Martin-Villalba A. Single-Cell Transcriptomics Reveals a Population of Dormant Neural Stem Cells that Become Activated upon Brain Injury. 2015;17(3):329–340.
22. Monti JM. Serotonin control of sleep-wake behavior. 2011;15(4):269–281.
23. Monti JM, Jantos H. The roles of dopamine and serotonin, and of their receptors, in regulating sleep and waking. 2008;172:625–646.
24. Morrison J, Jessica M. Human nose can detect 1 trillion odours. 2014.
25. Portas CM, Bjorvatn B, Ursin R. Serotonin and the sleep/wake cycle: special emphasis on microdialysis studies. 2000;60(1):13–35.
26. Recanzone GH, Merzenich MM, Jenkins WM, Grajski KA, Dinse HR. Topographic reorganization of the hand representation in cortical area 3b owl monkeys trained in a frequency-discrimination task. 1992;67(5):1031–1056.

27. Röder B, Teder-Sälejärvi W, Sterr A, Rösler F, Hillyard SA, Neville HJ. Improved auditory spatial tuning in blind humans. 1999;400(6740):162–166.
28. Rooft PG. The Prenatal Origin of Behavior . Davenport Hooker. 1953;28(2):226–226.
29. Schaal B, Marlier L, Soussignan R. Human fetuses learn odours from their pregnant mother’s diet. 2000;25(6):729–737.
30. Shen MD, Li DD, Keown CL, Lee A, Johnson RT, Angkustsiri K, Rogers SJ, Müller R-A, Amaral DG, Nordahl CW. Functional Connectivity of the Amygdala Is Disrupted in Preschool-Aged Children With Autism Spectrum Disorder. 2016;55(9):817–824.
31. Shen MD, Li DD, Keown CL, Lee A, Johnson RT, Angkustsiri K, Rogers SJ, Müller R-A, Amaral DG, Nordahl CW. Functional Connectivity of the Amygdala Is Disrupted in Preschool-Aged Children With Autism Spectrum Disorder. 2016;55(9):817–824.
32. Song Y, Hakoda Y, Sanefuji W, Cheng C. Can They See It? The Functional Field of View Is Narrower in Individuals with Autism Spectrum Disorder. 2015;10(7):e0133237.
33. Tavassoli T, Baron-Cohen S. Taste identification in adults with autism spectrum conditions. 2012;42(7):1419–1424.
34. The Sense of Smell: A Powerful Sense. [accessed 2016 Nov 4].  
<https://www.tsbvi.edu/seehear/summer05/smell.htm>
35. Vengalil S, Agadi JB, Raghavendra K. University of Pennsylvania Smell Identification Test Abnormalities in Parkinson’s Disease. 2016;64(4):32–36.
36. Willander J, Johan W, Maria L. Olfaction and emotion: The case of autobiographical memory. 2007;35(7):1659–1663.
37. Zald DH, Pardo JV. Emotion, olfaction, and the human amygdala: Amygdala activation during aversive olfactory stimulation. 1997;94(8):4119–4124.

## Brain Map Part 2

1. 8 Triggers That Make Restless Legs Worse. [accessed 2016 Nov 3].  
<http://www.everydayhealth.com/sleep/triggers-that-make-restless-legs-worse.aspx>
2. Ackerley R, Carlsson I, Wester H, Olausson H, Backlund Wasling H. Touch perceptions across skin sites: differences between sensitivity, direction discrimination and pleasantness. 2014;8:54.
3. Aronoff E, Hillyer R, Leon M. Environmental Enrichment Therapy for Autism: Outcomes with Increased Access. 2016;2016:2734915.
4. Ashwin E, Ashwin C, Rhydderch D, Howells J, Baron-Cohen S. Eagle-eyed visual acuity: an experimental investigation of enhanced perception in autism. 2009;65(1):17–21.
5. Benson BE, Willis MW, Ketter TA, Speer A, Kimbrell TA, Herscovitch P, George MS, Post RM. Differential abnormalities of functional connectivity of the amygdala and hippocampus in unipolar and bipolar affective disorders. 2014;168:243–253.

6. Benson BE, Willis MW, Ketter TA, Speer A, Kimbrell TA, Herscovitch P, George MS, Post RM. Differential abnormalities of functional connectivity of the amygdala and hippocampus in unipolar and bipolar affective disorders. 2014;168:243–253.
7. Casanova MF, El-Baz A, Mott M, Mannheim G, Hassan H, Fahmi R, Giedd J, Rumsey JM, Switala AE, Farag A. Reduced gyral window and corpus callosum size in autism: possible macroscopic correlates of a minicolumnopathy. 2009;39(5):751–764.
8. Chechlacz M, Gleeson JG. Is mental retardation a defect of synapse structure and function? 2003;29(1):11–17.
9. Dillon C, Goda Y. The actin cytoskeleton: integrating form and function at the synapse. 2005;28:25–55.
10. Edgington L, Hill V, Pellicano E. The design and implementation of a CBT-based intervention for sensory processing difficulties in adolescents on the autism spectrum. 2016;59:221–233.
11. Fourgeaud L, Través PG, Tufail Y, Leal-Bailey H, Lew ED, Burrola PG, Callaway P, Zagórska A, Rothlin CV, Nimmerjahn A, et al. TAM receptors regulate multiple features of microglial physiology. 2016;532(7598):240–244.
12. Frontal Lobe Size | CARTA. [accessed 2016 Nov 21].  
<https://carta.anthropogeny.org/moca/topics/frontal-lobe-size>
13. Grandin T. My Experiences with Visual Thinking Sensory Problems and Communication Difficulties. 1996. 40 p.
14. Grewe O, Kopiez R, Altenmüller E. Chills as an indicator of individual emotional peaks. 2009;1169:351–354.
15. Güçlü B, Burak G, Canan T, Mukaddes NM, Fatih Ü. Tactile sensitivity of normal and autistic children. 2007;24(1-2):21–33.
16. Guha T, Yang Z, Ramakrishna A, Grossman RB, Darren H, Lee S, Narayanan SS. On Quantifying Facial Expression-Related Atypicality of Children with Autism Spectrum Disorder. 2015;2015:803–807.
17. Hurd R. How Does Serotonin Affect Sleep? [accessed 2016 Nov 3].  
<http://www.livestrong.com/article/136959-how-does-serotonin-affect-sleep/>
18. Ishizu T, Zeki S. The brain's specialized systems for aesthetic and perceptual judgment. 2013;37(9):1413–1420.
19. Kaiser MD, Yang DY-J, Voos AC, Bennett RH, Gordon I, Pretzsch C, Beam D, Keifer C, Eilbott J, McGlone F, et al. Brain Mechanisms for Processing Affective (and Nonaffective) Touch Are Atypical in Autism. 2016;26(6):2705–2714.
20. Khalifa S, Bruneau N, Rogé B, Georgieff N, Veuillet E, Adrien J-L, Barthélémy C, Collet L. Increased perception of loudness in autism. 2004;198(1-2):87–92.
21. Llorens-Bobadilla E, Zhao S, Baser A, Saiz-Castro G, Zwadlo K, Martin-Villalba A. Single-Cell Transcriptomics Reveals a Population of Dormant Neural Stem Cells that Become Activated upon Brain Injury. 2015;17(3):329–340.
22. Monti JM. Serotonin control of sleep-wake behavior. 2011;15(4):269–281.

23. Monti JM, Jantos H. The roles of dopamine and serotonin, and of their receptors, in regulating sleep and waking. 2008;172:625–646.
24. Morrison J, Jessica M. Human nose can detect 1 trillion odours. 2014.
25. Portas CM, Bjorvatn B, Ursin R. Serotonin and the sleep/wake cycle: special emphasis on microdialysis studies. 2000;60(1):13–35.
26. Recanzone GH, Merzenich MM, Jenkins WM, Grajski KA, Dinse HR. Topographic reorganization of the hand representation in cortical area 3b owl monkeys trained in a frequency-discrimination task. 1992;67(5):1031–1056.
27. Röder B, Teder-Sälejärvi W, Sterr A, Rösler F, Hillyard SA, Neville HJ. Improved auditory spatial tuning in blind humans. 1999;400(6740):162–166.
28. Roofe PG. The Prenatal Origin of Behavior . Davenport Hooker. 1953;28(2):226–226.
29. Schaal B, Marlier L, Soussignan R. Human fetuses learn odours from their pregnant mother’s diet. 2000;25(6):729–737.
30. Shen MD, Li DD, Keown CL, Lee A, Johnson RT, Angkustsiri K, Rogers SJ, Müller R-A, Amaral DG, Nordahl CW. Functional Connectivity of the Amygdala Is Disrupted in Preschool-Aged Children With Autism Spectrum Disorder. 2016;55(9):817–824.
31. Shen MD, Li DD, Keown CL, Lee A, Johnson RT, Angkustsiri K, Rogers SJ, Müller R-A, Amaral DG, Nordahl CW. Functional Connectivity of the Amygdala Is Disrupted in Preschool-Aged Children With Autism Spectrum Disorder. 2016;55(9):817–824.
32. Song Y, Hakoda Y, Sanefuji W, Cheng C. Can They See It? The Functional Field of View Is Narrower in Individuals with Autism Spectrum Disorder. 2015;10(7):e0133237.
33. Tavassoli T, Baron-Cohen S. Taste identification in adults with autism spectrum conditions. 2012;42(7):1419–1424.
34. The Sense of Smell: A Powerful Sense. [accessed 2016 Nov 4].  
<https://www.tsbvi.edu/seehear/summer05/smell.htm>
35. Vengalil S, Agadi JB, Raghavendra K. University of Pennsylvania Smell Identification Test Abnormalities in Parkinson’s Disease. 2016;64(4):32–36.
36. Willander J, Johan W, Maria L. Olfaction and emotion: The case of autobiographical memory. 2007;35(7):1659–1663.
37. Zald DH, Pardo JV. Emotion, olfaction, and the human amygdala: Amygdala activation during aversive olfactory stimulation. 1997;94(8):4119–4124.

## Brain Chemistry

1. Woolley DW, Shaw E. Some neurophysiological aspects of serotonin. Br Med J. 1954;2: 122–126.
2. Mössner R, Lesch KP. Role of serotonin in the immune system and in neuroimmune interactions. Brain Behav Immun. 1998;12: 249–271.

3. Field T, Hernandez-Reif M, Diego M, Schanberg S, Kuhn C. Cortisol decreases and serotonin and dopamine increase following massage therapy. *Int J Neurosci*. 2005;115: 1397–1413.
4. Dunnett SB, Iversen SD. Sensorimotor impairments following localized kainic acid and 6-hydroxydopamine lesions of the neostriatum. *Brain Res*. 1982;248: 121–127.
5. Di Chiara G, Morelli M, Consolo S. Modulatory functions of neurotransmitters in the striatum: ACh/dopamine/NMDA interactions. *Trends Neurosci*. 1994;17: 228–233.
6. Divac I. Functions of the caudate nucleus. *Acta Biol Exp* . 1968;28: 107–120.
7. Divac I, Rosvold HE, Szwarcbart MK. Behavioral effects of selective ablation of the caudate nucleus. *J Comp Physiol Psychol*. 1967;63: 184–190.
8. Ernst M, Zametkin AJ, Matochik JA, Pascualvaca D, Cohen RM. Low medial prefrontal dopaminergic activity in autistic children. *Lancet*. 1997;350: 638.
9. Ernst M, Zametkin AJ, Matochik JA, Pascualvaca D, Jons PH, Cohen RM. High midbrain [18F]DOPA accumulation in children with attention deficit hyperactivity disorder. *Am J Psychiatry*. 1999;156: 1209–1215.
10. Gerfen CR, Engber TM, Mahan LC, Susel Z, Chase TN, Monsma FJ Jr, et al. D1 and D2 dopamine receptor-regulated gene expression of striatonigral and striatopallidal neurons. *Science*. 1990;250: 1429–1432.
11. Gill M, Daly G, Heron S, Hawi Z, Fitzgerald M. Confirmation of association between attention deficit hyperactivity disorder and a dopamine transporter polymorphism. *Mol Psychiatry*. 1997;2: 311–313.
12. Ruitenberg MFL, Duthoo W, Santens P, Seidler RD, Notebaert W, Abrahamse EL. Sequence learning in Parkinson's disease: Focusing on action dynamics and the role of dopaminergic medication. *Neuropsychologia*. 2016;93: 30–39.
13. Tremblay P-L, Pierre-Luc T, Marc-Andre B, Dominic L, Blanchet PJ, Martin L, et al. Movement chunking during sequence learning is a dopamine-dependant process: a study conducted in Parkinson's disease. *Exp Brain Res*. 2010;205: 375–385.
14. Goldman-Rakic PS. The Cortical Dopamine System: Role in Memory and Cognition. *Advances in Pharmacology*. 1997. pp. 707–711.
15. Gibb WR, Mountjoy CQ, Mann DM, Lees AJ. The substantia nigra and ventral tegmental area in Alzheimer's disease and Down's syndrome. *J Neurol Neurosurg Psychiatry*. 1989;52: 193–200.
16. Coopersmith R, Weihmuller FB, Kirstein CL, Marshall JF, Leon M. Extracellular dopamine increases in the neonatal olfactory bulb during odor preference training. *Brain Res*. 1991;564: 149–153.
17. Musacchio JM. Enzymes Involved in the Biosynthesis and Degradation of Catecholamines. *Biochemistry of Biogenic Amines*. 1975. pp. 1–35.

## Brain Plasticity

### References

1. Doetsch F, Caillé I, Lim DA, García-Verdugo JM, Alvarez-Buylla A. Subventricular zone astrocytes are neural stem cells in the adult mammalian brain. *Cell*. 1999;97: 703–716.

## Environmental Enrichment

1. Institute for Laboratory Animal Research, Division on Earth and Life Studies, Institute of Medicine. Science, Medicine, and Animals. National Academies Press; 1991.
2. Rosenzweig MR. Aspects of the search for neural mechanisms of memory. *Annu Rev Psychol.* 1996;47: 1–32.
3. *The Principles of Psychology.* By WILLIAM JAMES 2 vols. (American Science Series, Advance Course.) New York, Holt. 8Dagger. Science. 1890;ns-16: 207–208.
4. Hebb DO. The effects of early experience on problem solving at maturity. *Am Psychol.* 1947;2: 306–307.
5. Jones TA, Greenough WT. Ultrastructural Evidence for Increased Contact between Astrocytes and Synapses in Rats Reared in a Complex Environment. *Neurobiol Learn Mem.* 1996;65: 48–56.
6. Sirevaag AM, Greenough WT. Differential rearing effects on rat visual cortex synapses. III. Neuronal and glial nuclei, boutons, dendrites, and capillaries. *Brain Res.* 1987;424: 320–332.
7. Borowsky IW, Collins RC. Metabolic anatomy of brain: A comparison of regional capillary density, glucose metabolism, and enzyme activities. *J Comp Neurol.* 1989;288: 401–413.
8. Rosenzweig MR, Krech D, Bennett EL, Diamond MC. Effects of environmental complexity and training on brain chemistry and anatomy: a replication and extension. *J Comp Physiol Psychol.* 1962;55: 429–437.
9. Krech D, Rosenzweig MR, Bennett EL. Effects of environmental complexity and training on brain chemistry. *J Comp Physiol Psychol.* 1960;53: 509–519.
10. Altman J, Das GD. AUTORADIOGRAPHIC EXAMINATION OF THE EFFECTS OF ENRICHED ENVIRONMENT ON THE RATE OF GLIAL MULTIPLICATION IN THE ADULT RAT BRAIN. *Nature.* 1964;204: 1161–1163.
11. Diamond MC, David K, Rosenzweig MR. The effects of an enriched environment on the histology of the rat cerebral cortex. *J Comp Neurol.* 1964;123: 111–119.
12. Harlow HF, Rowland GL, Griffin GA. THE EFFECT OF TOTAL SOCIAL DEPRIVATION ON THE DEVELOPMENT OF MONKEY BEHAVIOR. *Psychiatr Res Rep Am Psychiatr Assoc.* 1964;19: 116–135.
13. Schapiro S, Vukovich KR. Early experience effects upon cortical dendrites: a proposed model for development. *Science.* 1970;167: 292–294.
14. Diamond MC, Fay L, Helen R, Bernice L, Rosenzweig MR, David K, et al. Increases in cortical depth and glia numbers in rats subjected to enriched environment. *J Comp Neurol.* 1966;128: 117–125.
15. Briones TL, Klintsova AY, Greenough WT. Stability of synaptic plasticity in the adult rat visual cortex induced by complex environment exposure. *Brain Res.* 2004;1018: 130–135.
16. Black SE. BRAIN PLASTICITY AND BEHAVIOUR. 1995. By Bryan Kolb. Published by Lawrence Erlbaum Assoc. Publishers. 194 pages. \$C59.00. *Can J Neurol Sci.* 1997;24: 173–174.

17. Rakic P. Neurogenesis in adult primate neocortex: an evaluation of the evidence. *Nat Rev Neurosci.* 2002;3: 65–71.
18. Kolb B, Bryson K, Whishaw IQ. BRAIN PLASTICITY AND BEHAVIOR. *Annu Rev Psychol.* 1998;49: 43–64.
19. Coopersmith R, Leon M. Enhanced neural response to familiar olfactory cues. *Science.* 1984;225: 849–851.
20. Rangel S, Leon M. Early odor preference training increases olfactory bulb norepinephrine. *Brain Res Dev Brain Res.* 1995;85: 187–191.
21. Sullivan RM, Wilson DA, Leon M. Norepinephrine and learning-induced plasticity in infant rat olfactory system. *J Neurosci.* 1989;9: 3998–4006.
22. Wilson DA, Sullivan RM, Leon M. Single-unit analysis of postnatal olfactory learning: modified olfactory bulb output response patterns to learned attractive odors. *J Neurosci.* 1987;7: 3154–3162.
23. Woo CC, Michael L. Increase in a focal population of juxtaglomerular cells in the olfactory bulb associated with early learning. *J Comp Neurol.* 1991;305: 49–56.
24. Woo CC, Coopersmith R, Leon M. Localized changes in olfactory bulb morphology associated with early olfactory learning. *J Comp Neurol.* 1987;263: 113–125.
25. Bouslama M, Myriam B, Estelle D, Laetitia C, Van den Bergh O, Jorge G. Olfactory classical conditioning in newborn mice. *Behav Brain Res.* 2005;161: 102–106.
26. Veyrac A, Sacquet J, Nguyen V, Marien M, Jourdan F, Didier A. Novelty determines the effects of olfactory enrichment on memory and neurogenesis through noradrenergic mechanisms. *Neuropsychopharmacology.* 2009;34: 786–795.
27. Suomi SJ, Leroy HA. In memoriam: Harry F. Harlow (1905-1981). *Am J Primatol.* 1982;2: 319–342.
28. Harlow HF. The nature of love. *Am Psychol.* 1958;13: 673–685.
29. Harlow HF, Suomi SJ. Social recovery by isolation-reared monkeys. *Proc Natl Acad Sci U S A.* 1971;68: 1534–1538.
30. Harlow HF, Suomi SJ. Production of depressive behaviors in young monkeys. *J Autism Child Schizophr.* 1971;1: 246–255.
31. Bengoetxea H, Ortuzar N, Bulnes S, Rico-Barrio I, Lafuente JV, Argandoña EG. Enriched and deprived sensory experience induces structural changes and rewires connectivity during the postnatal development of the brain. *Neural Plast.* 2012;2012: 305693.
32. Ghoshal A, Pouget P, Popescu M, Ebner F. Early bilateral sensory deprivation blocks the development of coincident discharge in rat barrel cortex. *J Neurosci.* 2009;29: 2384–2392.
33. Guthrie KM, Wilson DA, Leon M. Early unilateral deprivation modifies olfactory bulb function. *J Neurosci.* 1990;10: 3402–3412.
34. Maya-Vetencourt JF, Origlia N. Visual cortex plasticity: a complex interplay of genetic and environmental influences. *Neural Plast.* 2012;2012: 631965.
35. Noppeney U. The effects of visual deprivation on functional and structural organization of the human brain. *Neurosci Biobehav Rev.* 2007;31: 1169–1180.



36. Bremner JD, Douglas Bremner J. Effects of Traumatic Stress on Brain Structure and Function: Relevance to Early Responses to Trauma. *J Trauma Dissociation*. 2005;6: 51–68.
37. Hendriksen H, Hendrikus H, Jolanda P, Berend O, Oosting RS. Environmental Enrichment Induces Behavioral Recovery and Enhanced Hippocampal Cell Proliferation in an Antidepressant-Resistant Animal Model for PTSD. *PLoS One*. 2010;5: e11943.
38. Schaefer ATU. Environmental enrichment and working memory tasks decrease hippocampal cell proliferation after wheel running – A role for the prefrontal cortex in hippocampal plasticity? *Brain Res*. 2015;1624: 125–133.
39. Kaler SR, Freeman BJ. Analysis of environmental deprivation: cognitive and social development in Romanian orphans. *J Child Psychol Psychiatry*. 1994;35: 769–781.
40. Rutter M, Andersen-Wood L, Beckett C, Bredenkamp D, Castle J, Groothues C, et al. Quasi-autistic patterns following severe early global privation. English and Romanian Adoptees (ERA) Study Team. *J Child Psychol Psychiatry*. 1999;40: 537–549.
41. Guzzetta A, Baldini S, Bancale A, Baroncelli L, Ciucci F, Ghirri P, et al. Massage accelerates brain development and the maturation of visual function. *J Neurosci*. 2009;29: 6042–6051.
42. Field T, Diego M, Hernandez-Reif M. Preterm infant massage therapy research: a review. *Infant Behav Dev*. 2010;33: 115–124.
43. Laviola G, Hannan AJ, Macrì S, Solinas M, Jaber M. Effects of enriched environment on animal models of neurodegenerative diseases and psychiatric disorders. *Neurobiol Dis*. 2008;31: 159–168.
44. Nithianantharajah J, Hannan AJ. Enriched environments, experience-dependent plasticity and disorders of the nervous system. *Nat Rev Neurosci*. 2006;7: 697–709.
45. Pang TYC, Hannan AJ. Enhancement of cognitive function in models of brain disease through environmental enrichment and physical activity. *Neuropharmacology*. 2013;64: 515–528.
46. Kerr B, Bredford K, Silva PA, Katherina W, Young JI. Unconventional Transcriptional Response to Environmental Enrichment in a Mouse Model of Rett Syndrome. *PLoS One*. 2010;5: e11534.
47. Schneider T, Przewłocki R. Behavioral alterations in rats prenatally exposed to valproic acid: animal model of autism. *Neuropsychopharmacology*. 2005;30: 80–89.

## **Development of Sensory Enrichment Therapy**

1. Aronoff E, Hillyer R, Leon M. Environmental Enrichment Therapy for Autism: Outcomes with Increased Access. 2016;2016:2734915.
2. Meaney MJ. Effects of the social environment and early life stress on neurodevelopment, cognition, behaviour and health. 2015;61:11.
3. Plotsky PM, Meaney MJ. Early, postnatal experience alters hypothalamic corticotropin-releasing factor (CRF) mRNA, median eminence CRF content and stress-induced release in adult rats. 1993;18(3):195–200.

4. Woo CC, Donnelly JH, Steinberg-Epstein R, Leon M. Environmental enrichment as a therapy for autism: A clinical trial replication and extension. 2015;129(4):412–422.

5. Woo CC, Leon M. Environmental enrichment as an effective treatment for autism: a randomized controlled trial. 2013;127(4):487–497.

### Sensory Enrichment Therapy Principles

#### References

1. Veyrac A, Sacquet J, Nguyen V, Marien M, Jourdan F, Didier A. Novelty determines the effects of olfactory enrichment on memory and neurogenesis through noradrenergic mechanisms. *Neuropsychopharmacology*. 2009;34: 786–795.

2. Immordino-Yang MH. *Emotions, Learning, and the Brain: Exploring the Educational Implications of Affective Neuroscience (The Norton Series on the Social Neuroscience of Education)*. W. W. Norton & Company; 2015.

3. Website [Internet]. [cited 24 Oct 2016]. Available: Why Your Brain Needs More Downtime <http://www.scientificamerican.com/article/mental-downtime/>

4. Baddeley A. The episodic buffer: a new component of working memory? *Trends Cogn Sci*. 2000;4: 417–423.

5. Chronic Stress Can Damage Brain Structure and Connectivity. In: *Psychology Today* [Internet]. [cited 26 Oct 2016]. Available: <http://www.psychologytoday.com/blog/the-athletes-way/201402/chronic-stress-can-damage-brain-structure-and-connectivity>

6. Woolley CS, Gould E, McEwen BS. Exposure to excess glucocorticoids alters dendritic morphology of adult hippocampal pyramidal neurons. *Brain Res*. 1990;531: 225–231.

7. Pope AW, Bierman KL, Mumma GH. Aggression, hyperactivity, and inattention-immaturity: Behavior dimensions associated with peer rejection in elementary school boys. *Dev Psychol*. 1991;27: 663–671.

8. Leekam SR, Nieto C, Libby SJ, Wing L, Gould J. Describing the sensory abnormalities of children and adults with autism. *J Autism Dev Disord*. 2007;37: 894–910.

9. Erickson KI, Leckie RL, Weinstein AM. Physical activity, fitness, and gray matter volume. *Neurobiol Aging*. 2014;35 Suppl 2: S20–8.

10. Kobil T, Yuan C, van Praag H. Endurance factors improve hippocampal neurogenesis and spatial memory in mice. *Learn Mem*. 2011;18: 103–107.

11. Bandini LG, Gleason J, Curtin C, Lividini K, Anderson SE, Cermak SA, et al. Comparison of physical activity between children with autism spectrum disorders and typically developing children. *Autism*. 2013;17: 44–54.

12. Must A, Phillips SM, Curtin C, Anderson SE, Maslin M, Lividini K, et al. Comparison of sedentary behaviors between children with autism spectrum disorders and typically developing children. *Autism*. 2014;18: 376–384.

13. National Center for Health Statistics (US). *Health, United States, 2011: With Special Feature on Socioeconomic Status and Health*. Hyattsville (MD): National Center for Health Statistics (US); 2012.

14. Arem H, Moore SC, Patel A, Hartge P, Berrington de Gonzalez A, Visvanathan K, et al. Leisure time physical activity and mortality: a detailed pooled analysis of the dose-response relationship. *JAMA Intern Med.* 2015;175: 959–967.
15. United States. Public Health Service. Office of the Surgeon General, National Center for Chronic Disease Prevention and Health Promotion (U.S.), President’s Council on Physical Fitness and Sports (U.S.). *Physical activity and health: a report of the Surgeon General.* Intl Medical Pub; 1996.
16. Ming X, Brimacombe M, Wagner GC. Prevalence of motor impairment in autism spectrum disorders. *Brain Dev.* 2007;29: 565–570.
17. Sleep Habits: More Important Than You Think. In: WebMD [Internet]. [cited 6 May 2016]. Available: <http://www.webmd.com/sleep-disorders/features/important-sleep-habits>
18. Graven SN, Browne JV. Sleep and Brain Development. *Newborn Infant Nurs Rev.* 2008;8: 173–179.
19. Walker MP, Robert S. Sleep, Memory, and Plasticity. *Annu Rev Psychol.* 2006;57: 139–166.
20. Urbain C, De Tiège X, Op De Beeck M, Bourguignon M, Wens V, Verheulpen D, et al. Sleep in children triggers rapid reorganization of memory-related brain processes. *Neuroimage.* 2016;134: 213–222.
21. Sleep Habits: More Important Than You Think. In: WebMD [Internet]. [cited 6 May 2016]. Available: <http://www.webmd.com/sleep-disorders/features/important-sleep-habits>
22. MacDonald M, Megan M, Phil E, Dale U. The physical activity patterns of children with autism. *BMC Res Notes.* 2011;4: 422.
23. de Niet G, Tiemens B, Lendemeijer B, Hutschemaekers G. Music-assisted relaxation to improve sleep quality: meta-analysis. *J Adv Nurs.* 2009;65: 1356–1364.
24. Ploughman M, Michelle P. Exercise is brain food: The effects of physical activity on cognitive function. *Dev Neurorehabil.* 2008;11: 236–240.
25. Youngstedt SD. S20.C Acute and adaptive effects of physical exercise on sleep. *Sleep Med.* 2007;8: S25.
26. Mendability. Aerobic Exercise and Brain Repair | Mendability for Autism. In: Mendability [Internet]. 21 Aug 2010 [cited 18 May 2016]. Available: <https://www.mendability.com/sensory-enrichment/aerobic-exercise-and-brain-repair/>
27. Shanahan TL, Czeisler CA. Light Exposure Induces Equivalent Phase Shifts of the Endogenous Circadian Rhythms of Circulating Plasma Melatonin and Core Body Temperature in Men\*. *J Clin Endocrinol Metab.* 1991;73: 227–235.
28. Gominak SC, Stumpf WE. The world epidemic of sleep disorders is linked to vitamin D deficiency. *Med Hypotheses.* 2012;79: 132–135.
29. Jasser SA. Dim Light Adaptation Attenuates Acute Melatonin Suppression in Humans. *J Biol Rhythms.* 2006;21: 394–404.
30. Schwartz PJ, Rosenthal NE, Wehr TA. Serotonin 1A receptors, melatonin, and the proportional control thermostat in patients with winter depression. *Arch Gen Psychiatry.* 1998;55: 897–903.

31. Natarajan R, Northrop NA, Yamamoto BK. Protracted effects of chronic stress on serotonin-dependent thermoregulation. *Stress*. 2015;18: 668–676.
32. Murray NM, Buchanan GF, Richerson GB. Insomnia Caused by Serotonin Depletion is Due to Hypothermia. *Sleep*. 2015;38: 1985–1993.
33. Xie L, Kang H, Xu Q, Chen MJ, Liao Y, Thiyagarajan M, et al. Sleep drives metabolite clearance from the adult brain. *Science*. 2013;342: 373–377.
34. Separation Anxiety. In: AnxietyBC [Internet]. 14 Nov 2014 [cited 19 May 2016]. Available: <https://www.anxietybc.com/parenting/separation-anxiety-disorder>
35. Wilder J, Granlund M. Stability and change in sustainability of daily routines and social networks in families of children with profound intellectual and multiple disabilities. *J Appl Res Intellect Disabil*. 2015;28: 133–144.
36. How Much Sleep Do We Really Need? [Internet]. [cited 16 May 2016]. Available: <https://sleepfoundation.org/how-sleep-works/how-much-sleep-do-we-really-need/page/0/2>
37. Sensory Enrichment Therapy Clinical Studies. In: Mendability [Internet]. [cited 16 May 2016]. Available: <https://www.mendability.com/testimonials/>
38. Chen C-K, Chih-Kuang C, Yu-Cheng P, Ning-Hung C, Li-Ting H, Shih-Wei C, et al. Sedative Music Facilitates Deep Sleep in Young Adults. *The Journal of Alternative and Complementary Medicine*. 2014;20: 312–317.
39. Tan LP. The effects of background music on quality of sleep in elementary school children. *J Music Ther*. 2004;41: 128–150.
40. Deborah Enos CN. A Better Diet Could Mean a Better Night's Sleep. In: Live Science [Internet]. [cited 16 May 2016]. Available: <http://www.livescience.com/38401-nutrients-linked-better-sleep.html>
41. Edmonds CJ, Burford D. Should children drink more water?: the effects of drinking water on cognition in children. *Appetite*. 2009;52: 776–779.
42. Booth P, Dawkins L, Moore D, Gentile-Rapinett G, Edmonds CJ. Water consumption improves fine motor speed in school children. *Appetite*. 2016;101: 222.
43. Fadda R, Roberta F, Gertrude R, Dominik G, Marinella P, Rachele F, et al. Effects of drinking supplementary water at school on cognitive performance in children. *Appetite*. 2012;59: 730–737.
44. Constant F, Florence C. Hydratation de l'enfant. *Médecine & Nutrition*. 2013;49: 44–49.
45. Benelam B, Wyness L. Hydration and health: a review. *Nutr Bull*. 2010;35: 3–25.
46. Cooke LJ, Chambers LC, Añez EV, Wardle J. Facilitating or undermining? The effect of reward on food acceptance. A narrative review. *Appetite*. 2011;57: 493–497.

## Multisensory Core Protocol

1. Ackerley R, Carlsson I, Wester H, Olausson H, Backlund Wasling H. Touch perceptions across skin sites: differences between sensitivity, direction discrimination and pleasantness. 2014;8:54.

2. Bushdid C, Magnasco MO, Vosshall LB, Keller A. Humans can discriminate more than 1 trillion olfactory stimuli. 2014;343(6177):1370–1372.
3. Cain WS, Johnson F Jr. Liability of odor pleasantness: influence of mere exposure. 1978;7(4):459–465.
4. Castiello U. The neuroscience of grasping. 2005;6(9):726–736.
5. Dellon AL, Lee Dellon A. TWO-POINT DISCRIMINATION AND MEISSNER CORPUSCLES. 1977;60(2):270–271.
6. Demattè ML, Sanabria D, Spence C. Olfactory discrimination: when vision matters? 2009;34(2):103–109.
7. Edgington L, Hill V, Pellicano E. The design and implementation of a CBT-based intervention for sensory processing difficulties in adolescents on the autism spectrum. 2016;59:221–233.
8. Ferdenzi C, Poncelet J, Rouby C, Bensafi M. Repeated exposure to odors induces affective habituation of perception and sniffing. 2014;8:119.
9. Gilad Y, Lancet D. Population differences in the human functional olfactory repertoire. 2003;20(3):307–314.
10. Güçlü B, Tanidir C, Mukaddes NM, Unal F. Tactile sensitivity of normal and autistic children. 2007;24(1-2):21–33.
11. Kaiser MD, Yang DY-J, Voos AC, Bennett RH, Gordon I, Pretzsch C, Beam D, Keifer C, Eilbott J, McGlone F, et al. Brain Mechanisms for Processing Affective (and Nonaffective) Touch Are Atypical in Autism. 2016;26(6):2705–2714.
12. Nelissen K, Vanduffel W. Grasping-related functional magnetic resonance imaging brain responses in the macaque monkey. 2011;31(22):8220–8229.
13. Rozenkrantz L, Zachor D, Heller I, Plotkin A, Weissbrod A, Snitz K, Secundo L, Sobel N. A Mechanistic Link between Olfaction and Autism Spectrum Disorder. 2015;25(14):1904–1910.
14. Small DM, Pelphrey KA. Autism Spectrum Disorder: Sniffing Out a New Biomarker. 2015;25(15):R674–R676.
15. Ventura AK, Mennella JA. Innate and learned preferences for sweet taste during childhood. 2011;14(4):379–384.

## **Other Examples of SET Exercises**

1. Burgdorf J, Panksepp J. The neurobiology of positive emotions. 2006;30(2):173–187.
2. Egaas B, Courchesne E, Saitoh O. Reduced Size of Corpus Callosum in Autism. 1995;52(8):794–801.
3. Fling BW, Walsh CM, Bangert AS, Reuter-Lorenz PA, Welsh RC, Seidler RD. Differential Callosal Contributions to Bimanual Control in Young and Older Adults. 2011;23(9):2171–2185.
4. Just MA, Cherkassky VL, Keller TA, Kana RK, Minshew NJ. Functional and anatomical cortical underconnectivity in autism: evidence from an fMRI study of an executive function task and corpus callosum morphometry. 2007;17(4):951–961.

5. Merzenich MM, Kaas JH, Wall J, Nelson RJ, Sur M, Felleman D. Topographic reorganization of somatosensory cortical areas 3b and 1 in adult monkeys following restricted deafferentation. 1983;8(1):33–55.
6. Reviews C. Assessing and Guiding Young Childrens Development and Learning: Education, Education. Cram101 Textbook Reviews; 2016. 21 p.
7. Singh H, O'Boyle MW. Interhemispheric Interaction During Global-Local Processing in Mathematically Gifted Adolescents, Average-Ability Youth, and College Students. 2004;18(2):371–377.
8. Sommers RK. Prediction of fine motor skills of children having language and speech disorders. 1988;67(1):63–72.
9. Zaidel DW. Art and brain: insights from neuropsychology, biology and evolution. 2010;216(2):177–183.

## **How do I know that I've had a good therapy session**

1. Coopersmith R, Weihmuller FB, Kirstein CL, Marshall JF, Leon M. Extracellular dopamine increases in the neonatal olfactory bulb during odor preference training. 1991;564(1):149–153.
2. Field T, Hernandez-Reif M, Diego M, Schanberg S, Kuhn C. Cortisol decreases and serotonin and dopamine increase following massage therapy. 2005;115(10):1397–1413.
3. Gunnar MR, Davis EP. The Effects of Stress on Early Brain and Behavioral Development. In: Neural Circuit Development and Function in the Brain. 2013. p. 447–465.
4. Moore PA. The Hidden Power of Smell: How Chemicals Influence Our Lives and Behavior. Springer; 2015. 213 p.
5. Murata K, Kanno M, Ieki N, Mori K, Yamaguchi M. Mapping of Learned Odor-Induced Motivated Behaviors in the Mouse Olfactory Tubercle. 2015;35(29):10581–10599.
6. Pomares CG, Jacques S, Véronique A. Analysis of the Olfactory Capacity of Healthy Children Before Language Acquisition. 2002;23(4):203–207.